

The Most Intelligent IDE for Databases

### PRODUCT INTRODUCTION





### INDEX

#### Company Introduction

#### • SQLGate


- Introduction
- History
- 10 Reasons to Choose SQLGate
- Available Databases & System Requirements
- Main Features
- Competitive Edge
- Main Clients

#### • Price / Purchase

- Price
- Purchase Guide

# **To Maximize Data Business Productivity**

We are a leading **software technology company.** We make high-quality software using the newest technology to make a successful business.



#### **CHEQUER**



07801, Republic of Korea

+822-338-1876

CHEQUER Inc. Founded in December, 2016 CEO In Seo Hwang

### COMPANY INTRODUCTION

#### VISION / MISSION / CULTURE



### Vision

To Maximize Data Business Productivity



#### **Mission**

To make database-related tasks more enjoyable by creating safer and faster environments



### Experts in Software Developing

#### CHEQUER Inc. is a company <u>comprised</u> of top database experts found in the country.

We operate the best DevOps system in the world with engineers experienced in a wide range of areas including database, software localization, global payment, software product line and more.



#### Innovative Company Culture

#### Freedom, Responsibility, Authority, Communication, Reward

We stand by 5 core values and an innovative organizational company culture. We encourage a free work environment which allows organic communication among the members, making the best possible use of our responsibilities and authority to create the world's leading software.


# SQLGATE

Maximize Your Productivity with **The Most Intelligent IDE** for Databases



A Data Integration Management Tool that supports everything from data

collection and storage to the operation and management phase.



6

#### How do you manage a **database**, the core asset of a company?


Are you still depending on inconvenient database management softwares?




backup and monitor a database as well as write SQL and PL/SQL?

### **SQLGate** is the World's Best IDE

for Database Management and Development.





### 10 REASONS TO CHOOSE SQLGATE



#### A Database Tool Validated by Top Companies

Over 2,000 customers use SQLGate, including finance, public, manufacturing and IT companies.



#### Remarkably Improved Productivity with Autocomplete and Template Capabilities

Functions include autocomplete of names of tables, different views, functions, triggers, procedures and templates.



### Provides UI that focuses on User Experience

Users can customize various UI options, such as choosing one of 4 available themes and picking a grid color.



#### Offers Quick and Efficient Data Analysis

The filter, sort, and grouping functions in the grid allow efficient data analysis. Similar to Excel, copy, paste, and statistical functions are also available.

### Includes PL/SQL Editor and Debugger

Set a breakpoint in procedures, packages, and functions. View parameter or breakpoint variable values.



#### Execution Plans Display Available in Different Forms

View results in treeview, text, flow chart, and more for easier data analysis. Objects within the execution plan can also be analyzed.

#### Creates Object Reports in Minutes

Export all objects in an organized form using unique templates provided.

### 8

#### The Most Suitable Software to Adapt to Dynamic Cloud Environments.

Various types of cloud-based database such as AWS and Azure are supported, and updates are regularly provided for efficient DevOps.


### Integrated Software for All Data Users

This software is used and needed by DBAs, developers, and data scientists for data management, analysis, database monitoring and more.



#### Our development team is comprised of the top database/software developers in the country. We continuously seek to add and improve features to make database-related work more enjoyable.

### AVAILABLE DATABASE & SYSTEM REQUIREMENTS



**Database support for Cloud environment**: AWS Aurora(SQLGate for MySQL, for PostgreSQL)

Azure Database(SQLGate for MySQL, for PostgreSQL, for SQLServer)

### SQLGATE MAIN FEATURES (1)

		A -		E		
	-	A 1				
	_		-		<u> </u>	

[] 사 접속 - SQLGate for Oracle Developer 8.3.2.0 ×											
<b>.</b>											
Net 로그인(N) 이다 로그인(I)		ion_dev2 kai	ist KCAMS_USR system								
A154		즐겨찾기	별명 🗸	호스트/TNS 이름	사용자	접속 모드	접속유형	서비스이름	포트	최근 접속	섁
호스트(H): test-db.sqlgate.com +			system@test-db.sqlgate.com:26000:XE	test-db.sqlgate.com						2018-01-22 오후 4:19:47	
test-ob.sqgate.com + 사용자(U):	2		system@test-db.sqlgate.com	test-db.sqlgate.com	system	Normal	NET	XE	15739	2018-01-08 오후 2:26:23	
system	3		Orade 9i (KSC5601)	test-db.sqlgate.com	system	Normal	NET	ORCL	15518	2017-07-27 오후 7:50:11	
system 암호(P):	4		Orade 12c	test-db.sqlgate.com	system	Normal	NET	XE	18058	2017-09-11 오후 3:20:16	
********	5		Orade 11g (KSC5601)	test-db.sqlgate.com	system	Normal	NET	XE	19523	2017-07-28 오전 10:29:44	
✔ 유니코드 사용(S)	6		Orade 11g (JA16SJIS)	test-db.sqlgate.com	system	Normal	NET	XE	18844	2017-07-28 오전 10:30:24	
✔ 유리포드 사용(b) ✔ 암호 저장(W)	7		Orade 11g (AL32UTF8)	test-db.sqlgate.com	system	Normal	NET	XE	16502	2017-08-01 오전 11:38:29	
접속 모드(M): 포트(R):	8		Orade 10g (AL32UTF8)	test-db.sqlgate.com	system	Normal	NET	XE	10010	2017-07-27 오후 6:02:40	
u - ⊥ _ (m). ⊥ = (k). Normal - 26000											
• SID · 서비스이름(A):											
XE											
문자 집합(E):											
AL16UTF16 -											
날짜형식(F):											
DEFAULT -											
색():											
•											
접속 테스트(T)											
		계찾기만 보기	l(v) 암호표시(o)								
	- 2	거못기만 エ기									
								접속	₹( <u>C</u> )		
서버 정보: system@test-db.sqlgate.o	:om:260	000									11.

#### FEATURE 02

🙈 SQL 기록 - system@test-db.	iqlgate.com:26000.XE		- • ×
	i 🐇 🖉 🗕 🐂 🍐 🗃 🕹 🗗 🗶 i 🛋 🔛		
8 🗰 루트			
SQL Procedure/Function			
User Directory			
Main			
		0.31 2018-01-22 公幸 2:43 system@test-db.sqlgat	
	SELECT COUNT(*) FROM ITEM_STOR_M WHERE STOR_CD = 'S1801'	0.47 2018-01-16 오전 12:1 ION_DEV 2.449 2018-01-15 公束 11:3 ION DEV	
	DELETE FROM ITEM_STOR_M WHERE STOR_CD = 'S1801' COMMIT	2.449 2018-01-15 王幸 11:3 ICN_DEV 0.47 2018-01-15 王幸 11:3 SYS@SOLGATE 12C	
	DELETE FROM ITEM_STOR_M WHERE STOR_CD = 'S1801'	14.913 2018-01-15 C \$\alpha\$ 11:3 StateGood RE_122	
	SELECT A.* FROM ( SELECT IT	0.172 2018-01-10 公束 12:5 ion dev2@14.63.163.2	
		0.171 2018-01-10 오후 12:4 km_dev2@14.63.163.2	
	SELECT A. * FROM ( SELECT ROWNUM AS RNUM, I	0.187 2018-01-10 오후 12:4 km_dev2@14.63.163.2 0.171 2018-01-10 오후 12:4 km dev2@14.63.163.2	
	SELECT A. * FROM ( SELECT ROWNUM AS RNUM, I SELECT A. * FROM ( SELECT ITEM. *, ROWNUM AS	0.1/1 2018-01-10 文本 12:4 km_dev2@14.63.183.2 0.171 2018-01-10 오束 12:4 km_dev2@14.63.163.2	
	SELECT A. FROM ( SELECT ITEM.*, ROWIND AS SELECT A. * FROM ( SELECT ITEM.*, ROWIND AS	0.171 2018-01-10 王来 12:4 km_dev2@14.63.163.2 0.172 2018-01-10 오章 12:4 km_dev2@14.63.163.2	
	SELECT A. * FROM ( SELECT ITEM. *, ROWNUM AS	0.172 2018-01-10 全章 12:4 ion dev2@14.63.163.2	
	SELECT * FROM AOS INTERNET AGENT PRIVS	0.44 2017-12-14 오후 7:31 svstem@test-db.sdbat	
	select parameter, value from nis_database_parameters where parameter = NLS_CHAR	0.56 2017-12-04 全章 2:49 Orade 11g (AL32UTF8)	
		0.46 2017-12-04 全章 2:49 kaist@test-db.sqlgate.<	
洲中:314 system@test-db.	4 Volgate.com;25000:XE		
systemigtest-db.	spjate.com:20000tAc		1

#### **Direct Database Connection without Client**

No need to download a separate database client to connect to a database. You can flag connections with different colors and sort connection information in different groups.

\* SQLGate versions for Tibero, DB2, and Cubrid require a separate ODBC Driver Installation to connect to a database

#### **SQL Execution History**


Manage the records of executed SQL queries. Soon functions will be upgraded to allow sharing of SQL execution records between groups and organizations with cloud interlinks.

### SQLGATE MAIN FEATURES (2)

#### **FEATURE 03**

[0] SQLGate for Oracle Developer - [개체 탐색기	- HR@1	TESTDB.SQLGATE.CO	OM:1602:XE:XE]								- • ×
: 파일(P) 코징(P) 보기(V) 유리(O) 만들기(C) 관리자(M) 도구(T) 정(V) 도울함(A) 기본 취이야옷 ·											
HR @TESTDB.SQLGATE.COM: 1602:XE:XE 🗾 📱	Ø .	🖉 🗳 🗳 🔜	SQL편집기 🚮 면명	老 탄 : 백		P 🔒 💱					
개제 탐색기											
· · · · · · · · · · · · · · · · · · ·	주석										
144 ☐ Ø HR@TESTD8.SQLGATE.COM:1602:XE:XE	49										
E B HR		0 🖶 ՝ 🗄									
= # 테이블(7)		∠ EMPLOYEE_	ID* FIRST_NAME	LAST_NAME*		PHONE_NUMBER		JOB_ID*			MANAGER_ID +
	COL										(nuli)
	De			Kochhar		515.123.4568					
EMPLOYEES	em						2001-01-13 오전 12:00:00				
ZBOC III	job		103 Alexander	Hunold		590.423.4567	2006-01-03 오전 12:00:00		9000		
	Tal		104 Bruce 105 David	Ernst	BERNST	590.423.4568 590.423.4569	2007-05-21 오전 12:00:00 2005-06-25 오전 12:00:00		6000 4800		103 103
I LOCATIONS	Loc		105 David 106 Valli	Austin Pataballa	DAUSTIN	590.423.4569 590.423.4560	2005-06-25 오전 12:00:00 2006-02-05 오전 12:00:00		4800		103
REGIONS			107 Diana	Lorentz		590.423.5567	2008-02-05 또 전 12:00:00 2007-02-07 오전 12:00:00		4200		103
			108 Nancy	Greenberg		515.124.4569	2007-02-07 또는 12:00:00 2002-08-17 오전 12:00:00		12008		103
<ul> <li>● 帰 트리거</li> <li>● 品 인덱스</li> </ul>			109 Daniel	Faviet	DFAVIET	515,124,4169	2002-08-16 오전 12:00:00				108
비 유 한복수			110 John		JCHEN	515, 124, 4269	2005-09-28 오전 12:00:00				
비 201 일구 田 15월 일구			111 Ismael			515.124.4369	2005-09-30 오전 12:00:00	FI_ACCOUNT			
田前 패키지					JMURMAN			FI_ACCOUNT			
田 協 시퀀스											
I 약 조건				Raphaely						(Iun)	
. 문 물 등의어											
🗉 📩 작업		Filter NO <roo< td=""><td></td><td></td><td></td><td></td><td>1 SELECT T.*</td><td></td><td></td><td></td><td></td></roo<>					1 SELECT T.*				
표 📭 유형			EID equals <empt< td=""><td></td><td></td><td></td><td>2 FROM HR. EMPLOYE</td><td></td><td></td><td></td><td></td></empt<>				2 FROM HR. EMPLOYE				
표 📸 데이터베이스 링크			ton to add a new cond								
田 🕰 구체화된 뷰		press the out	ton to add a new cond	noon							
田 4월 구체화된 뷰 로그											
D C 작업 스케쥴러 D = 휴지통											
<	•		재설정( <u>R</u> )								
HR@TESTDB.SQLGATE.COM:10		Œ 1/75									
Orade 11.2.0.2.0(유니코드) 자동 커밋 비활성화용		R@TESTD8.SOLGATE.	COM: 1602:XE:XE							um 영어 8.0.0.	2 정풍인증됨 //
										0.0.0.	

#### FEATURE 04



#### **Object Explorer & Object Panel**

The SQLGate object explorer, which provides quick and easy access to all objects in the database, is designed better than any other competitor. The object panel is also provided to aid in quickly and easily identifying objects while creating SQL.


#### Available in English, Korean, and More

SQLGate supports all contents and messages in 7 different languages including English and Korean.

**Supports** : English, Korean, Chinese (simple and traditional), Japanese, French, German, and Spanish.

### SQLGATE MAIN FEATURES (3)

#### **FEATURE 05**



#### FEATURE 06

	or Oracle Developer - [S	SQL 편집기 - HF		lgate.com [SQL1]]					
파일(F) 편	집(E) 보기(V) 쿼리(I	(Q) 만들기(C)	관리자(M)		도응말(H) 기본 레이아읏				
R @hr@testdi	b.sglgate.com 👻 🗒		A LA SOL	편진기 요 며린 왜		6 a (3			
	1					- 618 (18)			
QL 편집기1									$\gamma \leftrightarrow \phi \mathbf{x}$
	[월 16] 🗏 중지 🦻	30 ko 80 80	• 🕨 🚳 🛙	III (E) (S) III (II	i 🐛 🔲 🗄 🗅 🗂 🖄				
SQL1*	× h								
	ELECT a.DEPARTMENT	NAME.				10			
2	<pre>b.FIRST_NAME</pre>						DB_TITLE, B.START_DATE, b		
3	b.LAST_NAME,					12 FROM JOBS	a, <u>JOB HISTORY</u> b		
4	<pre>b.PHONE_NUMB b.HIRE DATE,</pre>							EMPLOYEE_ID NUMBER(6)	PK1 직원 ID
6	b.JOB ID							START_DATE OATE	PK2 시작일
	ROM DEPARTMENTS							END_DATE DATE JOB ID VARCHAR2(10	종료일 8(18) 업무 ID
8								DEPARTMENT ID NUMBER(4)	하(c) 급구 ID 부서 ID
	HERE a.DEPARTMENT	[_ID = b.DEP#	ARTMENT_ID;						
10 11 = S	ELECT a.JOB TITLE,	R START DAT							
	ROM JOBS a, JOB HI		, v.						
	T a.DEPARTMENT_NAME,								
과	DEPARTMENT_NAME		LAST_NAME*	PHONE_NUMBER	HIRE_DATE*	JOB_ID*			
	Marketing	Michael	Hartstein		2004-02-17 오전 12:00:00				
				603.123.6666	2005-08-17 오전 12:00:00				¢ 🌣
	Purchasing	Den	Raphaely	515.127.4561	2002-12-07 모전 12:00:00 2003-05-18 모전 12:00:00				
		Alexander Shelli	Khoo Baida	515.127.4562 515.127.4563	2003-05-18 오선 12:00:00 2005-12-24 오전 12:00:00				
	Purchasing	Sigal	Baida Tobias	515.127.4563 515.127.4564	2005-12-24 오전 12:00:00 2005-07-24 오전 12:00:00				
		Guy	Himuro	515.127.4565	2005-07-24 또 전 12:00:00 2006-11-15 오전 12:00:00				
		Karen	Colmenares	515.127.4566	2007-08-10 오전 12:00:00				
		Susan	Mavris	515, 123, 7777	2002-06-07 오전 12:00:0				
	Shipping	Matthew	Weiss	650.123.1234	2004-07-18 모전 12:00:00				
	티 신뢰 겐치 powerour								
					HR	Phr@testdb.sqlgate.com	가로 그리드		
rade 11.2.0.2	2.0(유니코드) 자동 커	밋 비활성화됨	HR @hr@testdb	.sqigate.com				CAP NUM 영어	8.0.0.2 정품 인증팀 🥢

#### **SQL Auto Complete**


SQLGate automatically indexes and recommends all the objects within the database such as tables, views, functions, and triggers.

#### **Execute Multiple Queries**


Run all queries in the editor at the same time and display the results in an organized, clean format.

### SQLGATE MAIN FEATURES (4)

#### **FEATURE 07**



#### **FEATURE 08**



#### **Extract, Create, and Auto-Align SQL**

The Sort option makes it easy and quick to sort hundreds of lines of SQL. In addition to providing DML/DDL extraction, query builders can create complex T-SQLs in seconds.

#### Themes

Choose one of 4 available themes to match personal preferences and increase concentration.



### SQLGATE MAIN FEATURES (5)


#### **FEATURE 09**

										_	
🚺 SQLGate for Oracle Developer - [SQL 원업기 - HR@hr@testdb.sqlgate.com [SQL2]] 💶 🗖 🗙											
: 파일(F) 편집(E) 보기(M) 쿼리(Q) 만들기(C) 관리자(M) 도구(T) 장(W) 도움일(H) 기본 레이아웃 →											
HRebrietestob.segate.com 🚽 🖢 🖉 🖨 🖨 sq. 4227 🚓 😋 🛠 🚛 🗐 🖬 🖬 🖬 🖬 🖓 🚱											
「SQL 世俗776」											
198 ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・											
	a ⊟ *										
				HONE_NUMBER, JOB_ID,							
7/34       주·4       1       SELECT FIRST_UWE_PHONE_NABEE, JOB_TD_COPHIESSION_ECT       +         2       FR801 Selects on m countries       +       -       -         1       B       FR01 Select FIRST_UWE_PHONE_NABEE, JOB_TD_COPHIESSION_ECT       +         1       B       FR01 Select FIRST_UWE_PHONE_NABEE, JOB_TD_COPHIESSION_ECT       +         1       B       SELECT FIRST_UWE_PHONE_											
•	•	걸 SELEC 과	टा •								
			En conce_no mate		EMAIL*	PHONE_NUMBER	HIRE_DATE*			COMMISSION_PCT	MANAGE +
		1			SKING	515.123.4567 515.123.4568	2003-06-17 오전 12:00:00 2005-09-21 오전 12:00:00		24000 17000	(nul) (nul)	
			101 Nan 102 Lex	De Haan	IDEHAAN	515.123.4569	2003-09-21 또한 12:00:00 2001-01-13 오전 12:00:00		17000	(nul) (nul)	
6 +			102 CEX 103 Alex		AHUNOLD	590,423,4567	2006-01-03 오전 12:00:00		9000	(nul)	
⊿ PK 월	데이터유협 🔺 기 🔺		104 Bruc		BERNST	590.423.4568	2007-05-21 오전 12:00:00			(nul)	
6 HIRE DATE	DATE							IT_PROG		(nul)	
9 COMMISSION PCT			105 Vali	Pataballa	VPATABAL		2006-02-05 오전 12:00:00	IT_PROG		(null)	
	NUMBER(4)		107 Dian		DLORENTZ	590.423.5567	2007-02-07 오전 12:00:00	IT_PROG		(null)	
1 PK EMPLOYEE_ID	NUMBER(6)			cy Greenberg	NGREENBE			FI_MGR		(null)	
10 MANAGER ID	NUMBER(6)		109 Dani							(nul)	
8 SALARY	NUMBER(8, 2)										
7 JOB_ID	VARCHAR2(10 BYTE)										
2 FIRST_NAME		미이									
		Select	t (1:1)/107 (	).211초 1:53 십			HR.@hr@t	testdb.sglgate.c	om 가로그	그리드	

#### **Powerful Data Grid**

A grid that displays SQL results provides the same level of user experience as an Excel file. Users can convert data results by filtering, sorting, and grouping objects, as well as replicate data by copying and pasting.

#### **FEATURE 10**




#### **Template-based Reports**

Generate 13 different database object reports including tables, views, synonyms, procedures, triggers, and indexes.


Report Designer also allows customization of the report design.

### SQLGATE MAIN FEATURES (6)

#### **FEATURE 11**



#### FEATURE 12



#### **PL/SQL Editor (for Oracle)**


SQL provides a dedicated PL/SQL editor for easy and quick creation/editing of functions, procedures, and packages.

#### PL/SQL Debugger (for Oracle)

Debug functions, procedures, or packages line by line. Breakpoints give an easy way to check variables and object variables at the stopping point.

### SQLGATE MAIN FEATURES (7)


#### **FEATURE 13**



#### **Execution Plan**

Check the execution plan in the SQL editor. The results can be displayed in treeview, text, and flowchart. Click objects within the execution plan to analyze data further in detail.

#### **FEATURE 14**



#### **ER Design**

Reverse engineering allows creation and editing of an ERD (Entity Relational Diagram) and provides ERD output, storage and recall functions.

### SQLGATE COMPETITIVE EDGE (1)

#### TOAD **VS** SQLGATE **VS** ORANGE

	Function	SQLGate	Toad	Orange	
	Unicode (UTF8)	0	0	0	
	Tree View Object Panel	0	x	0	
General	Support Korean Language	0	x	X	
General	Supported Languages	7 (Korean/English/Japanese/German/Chinese/French/Spanish)	English	English	
	Themes	4 (Light/Blue Light/Dark/Dark Gray)	Not supported	Not supported	
	Supported DBMS	Oracle / SQL Server / MySQL / MariaDB / DB2 / Tibero / PostreSQL / Cubird	Oracle / SQL Server / DB2	Oracle / SQLServer / DB2 / Sybase / Tibero	
	Connect without Database Client	0	х	X	
Connection	Save Connection History	0	0	0	
	Label Sessions with Color	0	x	0	
	Run Multiple Queries	0	0	0	
	SQL Auto Save & Auto Recovery	0	x	X	
SQL Editor	SQL Execution Plan	0	0	0	
SQL EUILUI	SQL AutoComplete	Table/View/Field/Function/Trigger/Procedure	Table/View	Table	
	SQL History (save history)	0	0	x	
	Run SubQuery Only	0	0	X	
Price (USD)	Per User	\$900	\$1,800~2,800	\$1,600~2,400	

\*Note: Prices may change depending on currency rate

### SQLGATE COMPETITIVE EDGE (2)


#### TOAD **VS** SQLGATE **VS** ORANGE

	Function	SQLGate	Toad	Orange
	Single Stepping	0	0	0
PL/SQL	Step Over	0	x	0
	Execute until Next Exception	0	0	0
Object Explorer	View, Create, Filter Objects	0	0	0
	Object Privilege. Generate Script	0	0	0
	Query Builder	0	0	0
Manager/Tool	Security Manager	0	0	0
Manager/1001	Analysis Manager	0	0	X
	PL / SQL Encryption Tool	0	0	X
	Generate Report	0	X	0
	Update Period	2-3 weeks	3-6 months	2-6 months
Technical support	Urgent Technical & Remote Support	0	X	X
	Improvement & Bug Reporting System	0	X	X
Price (USD)	Per User	\$ 900	\$1,800~2,800	\$1,600~2,400

\*Note: Prices may change depending on currency rate

### SQLGATE COMPETITIVE EDGE (3)

#### TOAD **VS** SQLGATE **VS** ORANGE



### SQLGATE MAIN CLIENTS

## **Over 50,000 + Licenses sold!**

*More than 2,500* organizations and companies from manufacturing, finance, public, broadcasting and communication sectors have chosen SQLGate.


Initiation sectors have chosen solt date.

### SQLGATE **PRODUCT PRICE**

#### SQLGate Enterprise License


Enterprise Licenses provide continued use of the product version.

You can purchase the license through a company or an organization and share it between members (within range of users purchased).



#### SQLGate Enterprise Maintenance License

Purchase New License for the first year and continue enjoying SQLGate by purchasing Maintenance License for the years to follow.



### SQLGATE **PRODUCT PRICE**

#### SQLGate Subscription Service (Monthly / Annual Plan)

A monthly or annual service with **manageable subscription fees**.

Flexible to use in any cloud environment. Regular updates always provide the latest version.

	Monthly		Annnual
Suite	<b>US \$40</b> / Month	Suite	<b>US \$240</b> / Annual
Oracle	<b>US \$25</b> / Month	Oracle	<b>US \$150</b> / Annual
SQL Server	US \$25 / Month	SQL Server	<b>US \$150</b> / Annual
Tibero	<b>US \$25</b> / Month	Tibero	<b>US \$150</b> / Annual
DB2	US \$25 / Month	DB2	<b>US \$150</b> / Annual
PostgreSQL	<b>US \$15</b> / Month	PostgreSQL	US \$90 / Annual
MySQL	US \$15 / Month	MySQL	<b>US \$90</b> / Annual
MariaDB	<b>US \$15</b> / Month	MariaDB	US \$90 / Annual
CUBRID	<b>US \$15</b> / Month	CUBRID	<b>US \$90</b> / Annual

### **PURCHASE** SQLGATE

### **Purchase**

+82 2-338-1876 (extension1)

### **Online Store**

www.SQLGate.com/store

### **Free Trial Download**

www.SQLGate.com Try the free version today!

